CORRECTION Open Access

Correction: Correlation between refractive errors and ocular biometric parameters in children and adolescents: a systematic review and meta-analysis

Zengrui Zhang^{1,2,3†}, Jingyu Mu^{1,2,3†}, Jing Wei^{1,2,3}, Haoming Geng^{1,2,3}, Chunmeng Liu^{1,2,3}, Wenhua Yi^{1,2,3}, Yue Sun^{1,2,3} and Junguo Duan^{1,2,3,4*}

Correction: BMC Ophthalmol 23, 472 (2023) https://doi.org/10.1186//s12886-023-03222-7

In this article [1], the wrong figure appeared as Fig. 1. The figure should have appeared as shown below The original article [1] has been corrected.

Published online: 04 December 2023

Reference

 Zhang Z, Mu J, Wei J, et al. Correlation between refractive errors and ocular biometric parameters in children and adolescents: a systematic review and meta-analysis. BMC Ophthalmol. 2023;23:472. https://doi.org/ 10.1186/s12886-023-03222-7.

 † Zengrui Zhang and Jingyu Mu contributed equally to the work presented here and should therefore be regarded as equivalent authors.

The original article can be found online at https://doi.org/10.1186/s12886-023-03222-7.

*Correspondence:

Junguo Duan

duanjg@cdutcm.edu.cn

- ¹ Chengdu University of TCM, Chengdu, Sichuan, China
- ² Eye college of Chengdu University of TCM, Chengdu, Sichuan, China
- ³ Ineye Hospital of Chengdu University of TCM, Chengdu, Sichuan, China
- 4 Key Laboratory of Sichuan Province Ophthalmopathy Prevention & Cure and Visual Function Protection With TCM Laboratory, Chengdu, Sichuan, China



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and given intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativeccommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 1 Flow chart